



CorePro Plastic LEDbulbs



CorePro LEDbulb ND 8-60W A60 E27 830

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lm
Color Designation	White (WH)
Luminous Efficacy (rated) (Nom)	100 lm/W
Correlated Color Temperature (Nom)	3000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	8 W
Lamp Current (Nom)	46 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	75 ℃
Controls and Dimming	
Dimmable	No

Datasheet, 2023, August 28 data subject to change

CorePro Plastic LEDbulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	1365423
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Application Conditions	
can it be used in closed luminaires	No


Product Data	
Order product name	CorePro LEDbulb ND 8-60W A60 E27
	830
Full product name	CorePro LEDbulb ND 8-60W A60 E27
	830
Full product code	872016916913500
Order code	16913500
Material Nr. (12NC)	929003607408
Net Weight (Piece)	0.029 kg
EAN/UPC - Product/Case	8720169169135
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169142


Dimensional drawing



Product	D	С
CorePro LEDbulb ND 8-60W A60 E27 830	60 mm	108 mm

Photometric data





180°

Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 830

Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 830

CorePro Plastic LEDbulbs


Photometric data




Calculus Photometric 4.5 Philips Lighting B.V. Page: 17

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 830

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 830



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.